



QUESTION WORKBOOK

# Newton's laws and the resultant force

Mechanics · Year 12

AQA 3.4.1.5 · CIE 3.1 · OCR A 3.2.1, 3.5.1

10 questions · 31 marks

NAVY SCREEN EDITION

**SECTION A** · Warm-up

**A1** State Newton's first law of motion. [2]

---

---

---

**A2** A mass of 2.0 kg has an acceleration of  $3.0 \text{ m s}^{-2}$ . Calculate the resultant force acting on it. [2]

---

---

**A3** Explain what is meant by the resultant force on an object. [2]

---

---

---

**SECTION B** · Standard

**B1** A 4.0 kg block on a smooth surface is pushed by a 12 N force to the right while a 4.0 N frictional-style force acts to the left. Calculate the resultant force and the acceleration of the block. [3]

- B2** A person of mass 70 kg stands in a lift. Taking  $g = 9.81 \text{ m s}^{-2}$ , calculate (a) their weight and (b) the force the lift floor exerts on them when the lift accelerates upwards at  $2.0 \text{ m s}^{-2}$ . [4]

- B3** A 3.0 kg block and a 2.0 kg block are in contact on a smooth surface. A horizontal force of 10 N pushes the 3.0 kg block, which pushes the 2.0 kg block. Calculate (a) the acceleration of the blocks and (b) the contact force between them. [4]

- B4** A book rests on a table. Identify the Newton's third-law pair to the force of the table pushing up on the book, and explain why the book's weight is not that pair. [3]

## SECTION C · Stretch

- C1** A 2.0 kg block slides down a smooth slope inclined at  $30^\circ$  to the horizontal. Taking  $g = 9.81 \text{ m s}^{-2}$ , calculate its acceleration down the slope. [3]

- C2** A 3.0 kg mass hangs from a light string that passes over a smooth pulley and connects to a 2.0 kg mass on a smooth horizontal table. Taking  $g = 9.81 \text{ m s}^{-2}$ , calculate (a) the acceleration of the system and (b) the tension in the string. [5]

- C3** When you stand still on the ground, explain using Newton's third law why you do not sink into it or fly off it. [3]